

Seimiya, Y.; Ohshima, K.; Itoh, H, et al. Listeric septicemia with meningitis in a neonatal calf. **Journal of Veterinary Medical Science**, v.54, n.6, p.1205-1207, 1992.

Semrad, S.D. Comparison of flunixin, prednisolone, dimethyl sulfoxide, and a lazaroid (U74389F) for treating endotoxemic neonatal calves. **American Journal of Veterinary Research**, v.54, n.9, p.1517-1522, 1993a.

Semrad, S.D. Comparative efficacy of flunixin, ketoprofen, and ketorolac for treating endotoxemic neonatal calves. **American Journal of Veterinary Research**, v.54, n.9, p.1511-1516, 1993b.

Semrad, S.D.; McClure, J.T.; Sams, R.A. et al. Pharmacokinetics and effects of repeated administration of phenylbutazone in neonatal calves. **American Journal of Veterinary Research**, v.54, n.11, p.1906-1912, 1993.

Shin, J.S.; Park, S.J.; Ryu, S. et al. Potent anti-inflammatory effect of a novel furan-2,5-dione derivative, BPD, mediated by dual suppression of COX-2 activity and LPS-induced inflammatory gene expression via NF- κ B inactivation. **British Journal of Pharmacology**, v.165, n.6, p.1926-1940, 2012.

Smith, G.W. Supportive Therapy of the Toxic Cow. **Veterinary Clinics of North America, Food Animal Practice**, v.21, n.3, p.595-614, 2005.

Smith, S.A.; Jann, O.C.; Haig, D. et al. Adaptive evolution of Toll-like receptor 5 in domesticated mammals. **BMC Evolutionary Biology**, v.12, n.1, p.122, 2012.

Staempfli, H.R. Role of electrolytes in acid-base balance: theory and practicality. American College Veterinary Internal Medicine Forum, 2005, Baltimore, USA, Electronic **Proceedings**.

Starost, M.F. *Haemophilus somnus* isolated from urachal abscess in a calf. **Veterinary Pathology**, v.38, n.5, p.547-548, 2001.

Stöber, M. **Viremia, bacteremia, septicemia, toxemia. Enfermedades de la sangre**. In: Gerrit-Dirksen, Hans-Dieter Gründer, Matthaeus Stöber. 4.ed. Medicina Interna y Cirugía del Bovino. Buenos Aires, Argentina: Inter-Médica editorial, 2005. p.197.

Stokol, T.; Divers, T.J.; Arrigan, J.W. et al. Cerebrospinal fluid findings in cattle with central nervous system disorders: a retrospective study of 102 cases (1990-2008). **Veterinary Clinical Pathology**, v.38, n.1, p.103-112, 2009.

Sun, L.; Song, Y.; Riaz, H. et al. Polymorphisms in toll-like receptor 1 and 9 genes and their association with tuberculosis susceptibility in Chinese Holstein cattle. **Veterinary Immunology Immunopathology**, v.147, n.3-4, p.195-201, 2012.

Svensson, C.; Lundborg, K.; Emanuelson, U. et al. Morbidity in Swedish dairy calves from birth to 90 days of age and individual calf-level risk factors for infectious diseases. **Preventive Veterinary Medicine**, v.58, n.3-4, p.179-197, 2003.

Thomas, E.; Roy, O.; Skowronski, V. et al. Comparative field efficacy study between cefquinome and gentamicin in neonatal calves with clinical signs of septicaemia. **Revue Médecine Vétérinaire**, v.10, n.155, p.489-493, 2004.

Vaala, W.E.; House, J.K. Neonatal infection. In: Smith. B.P. (ed). Large Animal Internal Medicine. 3.ed. St Louis, USA: Mosby, 2002. p.303-318.

Vaala, W.; House, J.; Lester G. **Infección Neonatal**. In: Smith B.P. (ed.). Medicina Interna de Grandes Animales. 4.ed. Barcelona: Elsevier España, 2010. p.281-292.

Van Dokersgoed, J.; Janzen, E.D.; Harland, R.J. Epidemiological features of calf mortality due to hemophilosis in a large feedlot. **Canadian Veterinary Journal**, v.31, n.12, p.821-825, 1990.

Vincent, J.L.; Roman, A.; Kahn, R.J. Dobutamine administration in septic shock: addition to a standard protocol. **Critical Care Medicine**, v.18, n.7, p.689-693, 1990.

Wang, Y.; Zarlenga, D.S.; Paape, M.J. et al. Functional analysis of recombinant bovine CD14. **Veterinary Research**, v.34, n.4, p.413-421, 2003.

Weaver, D.M.; Tyler, J.W.; Van Metre, D.C. et al. Passive transfer of colostral immunoglobulins in calves. **Journal of Veterinary Internal Medicine**, v.14, n.6, p.569-577, 2000.

White, S.N.; Kata, S.R.; Womack, J.E. Comparative fine maps of bovine toll-like receptor 4 and toll-like receptor 2 regions. **Mammalian Genome**, v.14, n.2, p.149-155, 2003.

Wong, K.F.; Luk, J.M. Endotoxin-neutralizing peptides as gram-negative sepsis therapeutics. **Protein and Peptide Letters**, v.16, n.5, p.539-542, 2009.